



Other Requirements

Other requirements that must be addressed prior to Permit closure are as follows (Note, if permit has a required Maintenance Period, these items must be addressed prior to start of the Maintenance Period):

Enforcement Fees

If enforcement fees have been assessed to the permit, those fees shall be paid prior to the permit construction activity being completed.

Outstanding Fees

Any outstanding fees (extension fee, changes in approved plans, revision, etc...) not paid, shall be paid in full prior to the permit construction activities being completed.

Certifications/Submittals Received

Any certifications, submittals, requests for testing results, material specifications, third party inspections, etc... that have been requested or required shall be submitted prior to the permit construction activity being completed.

Permit Status in Good Standing

No permit will have its construction activity completed while it is in an Expired status. All permits shall be in an OPEN status at the time the permits construction activities are completed. If the permit is in an EXPIRED status the permittee is responsible to extend the permits completion date following the Extension Request form (IB167).

Stop Work Orders

All Stop Work Orders shall be resolved prior to the permits construction activity being completed.

Establishment of Vegetation

If any permit disturbs more than an acre, the area that was disturbed shall have mature established vegetation established prior the permit construction activities being completed. Per KCMO/APWA Section 2406.4.B.5, 2406.4.C.7, 2406.4.D.6:

The seeded and/or sodded areas shall be inspected for acceptable grass coverage and will be acceptable when grasses designated are growing and are in good condition. Not more than ½ of one percent of the total areas shall be bare, of which no single area shall be more than one foot square in area. Any area left unseeded larger than this will not be acceptable, and be reseeded.

Liens

All liens on projects within the Right-of-Way shall be resolved before permitted work is closed out.